

2006 Version

Quartzlock

A10

1E-11
Accuracy

LPRO Rubidium Oscillator

Form, Fit and Function of LPRO



FEATURES

- Unique vacuum lamp
- Low phase noise to $-160\text{dBc}/\text{Hz}$
- 2 Year warranty
- Tuned Rb cell
- A' Class stability
- $5 \times 10^{-12}/1\text{s}$, $4 \times 10^{-13}/100\text{s}$ stability
- Aging: $5 \times 10^{-10}/\text{year}$

APPLICATIONS

- Frequency Calibration
- Telecom Network Synchronisation
- Broadcast
- Cellular Wireless Base Stations

BENEFITS

- Low cost, high performance standard
- Fits 1U case
- Low failure risk
- Simple integration into systems


STANDARD SPECIFICATIONS

Output	10MHz, +8dBm into 50Ω, 0.5V RMS		
Adjustment Mechanical Range Electrical Range Control Volage Factory Setting	2x10 ⁻⁹ min 2x10 ⁻⁹ min 0 ~ 5V ±5x10 ⁻¹¹		
Frequency Stability 1s 10s 100s 1day	Std 3x10 ⁻¹¹ 1x10 ⁻¹¹ 3x10 ⁻¹² 1x10 ⁻¹¹	'B' Class 1x10 ⁻¹¹ 5x10 ⁻¹² 1x10 ⁻¹²	'A' Class 5x10 ⁻¹² 2x10 ⁻¹² 4x10 ⁻¹³
Aging 1 day 1 month 1 year	3x10 ⁻¹² 4x10 ⁻¹¹ 5x10 ⁻¹⁰	1x10 ⁻¹²	5x10 ⁻¹³
Phase Noise 1Hz 10Hz 100Hz 1000Hz 10000Hz	Std - 100dBc 120dBc 140dBc 145dBc	LN 110dBc 130dBc 145dBc 155dBc	
Harmonics	<40dBc		
Spurious	<80dBc		
Warm time to 1x10⁻⁹	5min		
Retrace after 24h off & 1h on, same temp	<3x10 ⁻¹¹		
Power Supply Power at steady state at 25°C Freq offset over output voltage range	13W @ 24V (22~30Vdc) @ 25°C, Max 2A <2x10 ⁻¹¹		
Temperature Operating Storage Freq offset over operating temperature range	-20°C ~ +50°C -40°C ~ +70°C <3x10 ⁻¹⁰		
Magnetic Field Sensitivity Atmospheric Pressure Approx MTBF, Stationary	<2x10 ⁻¹¹ /Gauss -60m ~ 4000m <1x10 ⁻¹³ /mbar 100,000Hrs		
Mechanical	38x94x127mm, 650g max 1.5"x3.7"x5", 23oz max		


PIN CONNECTIONS

- C1:** 'D' 9 Pin Male
C2: SMA RF Output
1. LOCK MONITOR (BIT)
 2. DC RETURN
 3. CASE
 4. N/C
 5. EXT 'C' FIELD VOLTAGE (0 - 5V)
 6. N/C
 7. DC POWER (+24V)
 8. VCXO CV MONITOR
 9. LAMP (LIGHT) MONITOR

DIMENSIONS



STS



Also Available:



P1250 HSRO
High Stability
Rb Oscillator



P400 FRS
High Performance
Rb Oscillator

Test, Measurement, Calibration, Control & Recording Instrumentation

technical
expanding possibilities

1-86-MEASURE-1 (1-866-327-8731) www.technical-sys.com